



08 October, 2020

Mon. Hugues St-Louis
Responsable des installations scolaire
Csc MonAvenir
hst-louis@cscmonavenir.ca
110, Drewry avenue
Toronto, ON M2M 1C8

Dear Mon. Hughes St-Louis

Re: Change of DIN number for SteriKleen

I wanted to write to explain why there has been a change in the SteriKleen Drug Identification Number (D.I.N.)

SteriKleen was originally designed a multi purpose disinfectant/sanitizing solution under original DIN 02280825.

However, just prior to the advent of Covid 19, we reformulated the product to have a broader range of efficacy and faster kill time for viruses such as Covid 19. The revised formula makes SteriKleen a true virucide with a Health Canada approved 1 minute (60 second) Covid 19 kill time as well as having a faster kill time for a wide variety of viruses, bacteria and Tuberculosis. It was also reformulated to be dilutable to become an effective, economical sanitizing solution.

The original labels reflected the original formula and DIN. Not wanting to be wasteful, we continued to use the old labels until they were exhausted. The new labels more accurately reflect the formula, instructions and precautions as well as the new DIN.

All the material you have been shipped and are using are all the revised SteriKleen formula (in use since February, 2020). The changes as noted are reflected in the updated Safety Data Sheets and Product Data bulletins.

Sincerely,

A handwritten signature in black ink, appearing to read "David A. Pasin".

David A. Pasin
President & CEO

intechenviro.com

12255 King George Boulevard, Surrey, British Columbia, Canada V3V 3K2
604.580.1575 877.658.3681 Toll-free 604.580.1965 Facsimile